

# MAXIMUS-3



BRONCO & BRONCO RAPTOR

## BRONCO TRAIL SIGHT FLAG MOUNT BRACKET

PART #: BR1009FM, BR1009FM-SS

### INSTALLATION GUIDES

THIS PRODUCT IS NOT COMPATIBLE WITH BRONCO SPORT SUV

Please make sure you read and understand the entire installation guide before you start. We expect you to have basic mechanical abilities to perform this installation.

We recommend that you separate and identify all the parts and hardware kits you received with your shipment before you proceed to disassemble your vehicle.



## IMPORTANT

Follow these instructions precisely. Maximus-3 is not liable for any damage caused by improperly installed products. It is the purchaser's responsibility to ensure both the installation and maintenance are performed properly as set forth in this guide. We recommend using anti-size paste on all non-thread lock bolts.

## PARTS LIST:

Flag Mount Bracket	1
M6 X 16 Button Head Bolt – Black	2

## QTY

## Tools Required

- ✓ Metric Allen Key # 4
- ✓ Metric torx Bit # T30





## **INSTALLATION STEPS**

Estimated Install Time: 10 Minutes

You can install this bracket on either side of the vehicle.

1. Remove the two (2) factory M6 torx screws from the trail sight using a T30 torx bit. You will not need those screws again for this installation.
2. Using an Allen key # 4, bolt your new Maximus-3 bracket onto the trail sight with the two (2) M6 button head screws supplied. Refer to pictures below.
3. Bolt your flag onto the Bracket using mounting hardware that came with your flag.





Your installation is complete. If you have questions regarding this installation, please contact us at [customerservice@maximus-3.com](mailto:customerservice@maximus-3.com), or call 248-6061745